

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations Issue date: 10/23/2015 Revision date: 6/3/2024 Supersedes: 4/30/2021

SECTION 1: Identification						
1.1. Identification						
Product form Product name CAS-No. Product code Other means of identification	: Article : PT-265E : Mixture : 8588 : Cordierite Fired Sha	ape				
1.2. Recommended use and restrictions on u						
Use of the substance/mixture	: Refractory					
Recommended use 1.3. Supplier	: Industrial use					
Resco Products, Inc. One Robinson Plaza, Suite 300 6600 Steubenville Pike Pittsburgh, PA, 15205 United States T 412-494-4491 <u>SDS@RescoProducts.com</u> - <u>WWW.RescoProducts.co</u>	om					
1.4. Emergency telephone number						
Emergency number		Y (CHEMTREC) USA & . ada +1 703-741-5970	Canada 1-800-	424-9300		
SECTION 2: Hazard(s) identification						
2.1. Classification of the substance or mixtu	re					
GHS US classification Not classified						
2.2. GHS Label elements, including precauti	onary statements					
This product meets the definition and criteria for an an regulations. No labeling obligation.	ticle according to OSH	IA 29 CFR 1910.1200 ar	nd the EU REAC	CH 1907/2006 Article 3(3)		
2.3. Other hazards which do not result in cla	ssification					
No additional information available						
2.4. Unknown acute toxicity (GHS US)						
No additional information available SECTION 3: Composition/Information o	n ingredients					
	in ingretients					
3.1. Substances Not applicable						
3.2. Mixtures						
Name		Product identifier	%	GHS US classification		
Cordierite		CAS-No.: 1302-88-1	50 – 75	Skin Irrit. 2, H315 Eye Irrit. 2B, H320 Carc. 1A, H350		
cristobalite		CAS-No.: 14464-46-1	10 – 20	Carc. 1A, H350		
Full text of hazard classes and H-statements : see se SECTION 4: First-aid measures	ction 16					
4.1. Description of first aid measures						
First-aid measures general : No hazards which require special first aid measures.						
First-aid measures after inhalation: Inhalation unlikely. Allow affected person to breathe fresh air.First-aid measures after skin contact: Not applicable.First-aid measures after eye contact: Direct eye contact is unlikely. Rinse cautiously with water for several minutes.First-aid measures after ingestion: Ingestion unlikely. Rinse mouth.						
4.2. Most important symptoms and effects (acute and delayed)						
 betential Adverse human health effects and : Dust on tear out. Danger of serious damage to health by prolonged exposure through inhalation c) Dust on tear out. Danger of serious damage to health by prolonged exposure through inhalation c) Dust on tear out. Danger of serious damage to health by prolonged exposure through inhalation 						
	May cause cancer by inhalation.					
4.3. Immediate medical attention and specia No additional information available	l treatment, if nece	ssary				

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

SECTION 5: Fire-fighting measures	
5.1. Suitable (and unsuitable) extinguishing	media
Suitable extinguishing media Unsuitable extinguishing media	 Use extinguishing media appropriate for surrounding fire. In case of fire, all extinguishing media allowed.
5.2. Specific hazards arising from the chemi	
Fire hazard	: Not flammable.
5.3. Special protective equipment and preca	utions for fire-fighters
	: Fight fire with normal precautions from a reasonable distance.
SECTION 6: Accidental release measure	
6.1. Personal precautions, protective equipr	nent and emergency procedures
6.1.1. For non-emergency personnel No additional information available 6.1.2. For emergency responders	
Protective equipment	: Use personal protective equipment as required.
6.2. Environmental precautions	
No additional information available	
6.3. Methods and material for containment a	Ind cleaning up
Methods for cleaning up	: Collect spillage.
6.4. Reference to other sections	
No additional information available	
SECTION 7: Handling and storage	
7.1. Precautions for safe handling	
	: No additional information available.
7.2. Conditions for safe storage, including a	
Technical measures	: Does not require any specific or particular technical measures.
Storage conditions	: Store this product in a dry location where it can be protected from the elements.
SECTION 8: Exposure controls/persona	Il protection
8.1. Control parameters	
8.1. Control parameters PT-265E (Mixture)	
PT-265E (Mixture) No additional information available cristobalite (14464-46-1)	
PT-265E (Mixture) No additional information available cristobalite (14464-46-1) USA - ACGIH - Occupational Exposure Limits	
PT-265E (Mixture) No additional information available cristobalite (14464-46-1) USA - ACGIH - Occupational Exposure Limits ACGIH OEL TWA	0.025 mg/m ³ respirable dust
PT-265E (Mixture) No additional information available cristobalite (14464-46-1) USA - ACGIH - Occupational Exposure Limits ACGIH OEL TWA USA - OSHA - Occupational Exposure Limits	
PT-265E (Mixture)No additional information availablecristobalite (14464-46-1)USA - ACGIH - Occupational Exposure LimitsACGIH OEL TWAUSA - OSHA - Occupational Exposure LimitsOSHA PEL (TWA) [1]	0.025 mg/m ³ respirable dust 0.05 mg/m ³ respirable dust
PT-265E (Mixture) No additional information available cristobalite (14464-46-1) USA - ACGIH - Occupational Exposure Limits ACGIH OEL TWA USA - OSHA - Occupational Exposure Limits	
PT-265E (Mixture) No additional information availablecristobalite (14464-46-1)USA - ACGIH - Occupational Exposure Limits ACGIH OEL TWAUSA - OSHA - Occupational Exposure Limits OSHA PEL (TWA) [1]Cordierite (1302-88-1)	
PT-265E (Mixture) No additional information available cristobalite (14464-46-1) USA - ACGIH - Occupational Exposure Limits ACGIH OEL TWA USA - OSHA - Occupational Exposure Limits OSHA PEL (TWA) [1] Cordierite (1302-88-1) No additional information available	
PT-265E (Mixture) No additional information available cristobalite (14464-46-1) USA - ACGIH - Occupational Exposure Limits ACGIH OEL TWA USA - OSHA - Occupational Exposure Limits OSHA PEL (TWA) [1] Cordierite (1302-88-1) No additional information available 8.2. Appropriate engineering controls Appropriate engineering controls	O.05 mg/m ³ respirable dust O.05 mg/m ³ respirable dust O.05 mg/m ³ respirable dust
PT-265E (Mixture) No additional information available cristobalite (14464-46-1) USA - ACGIH - Occupational Exposure Limits ACGIH OEL TWA USA - OSHA - Occupational Exposure Limits OSHA PEL (TWA) [1] Cordierite (1302-88-1) No additional information available 8.2. Appropriate engineering controls Appropriate engineering controls 8.3. Individual protection measures/Personal	O.05 mg/m ³ respirable dust O.05 mg/m ³ respirable dust O.05 mg/m ³ respirable dust
PT-265E (Mixture) No additional information available cristobalite (14464-46-1) USA - ACGIH - Occupational Exposure Limits ACGIH OEL TWA USA - OSHA - Occupational Exposure Limits OSHA PEL (TWA) [1] Cordierite (1302-88-1) No additional information available 8.2. Appropriate engineering controls Appropriate engineering controls	O.05 mg/m ³ respirable dust O.05 mg/m ³ respirable dust O.05 mg/m ³ respirable dust
PT-265E (Mixture) No additional information available cristobalite (14464-46-1) USA - ACGIH - Occupational Exposure Limits ACGIH OEL TWA USA - OSHA - Occupational Exposure Limits OSHA PEL (TWA) [1] Cordierite (1302-88-1) No additional information available 8.2. Appropriate engineering controls Appropriate engineering controls Hand protection: Wear protective gloves.	O.05 mg/m ³ respirable dust O.05 mg/m ³ respirable dust O.05 mg/m ³ respirable dust
PT-265E (Mixture) No additional information available cristobalite (14464-46-1) USA - ACGIH - Occupational Exposure Limits ACGIH OEL TWA USA - OSHA - Occupational Exposure Limits OSHA PEL (TWA) [1] Cordierite (1302-88-1) No additional information available 8.2. Appropriate engineering controls Appropriate engineering controls 8.3. Individual protection measures/Persona Hand protection: Wear protective gloves. Respiratory protection:	O.05 mg/m ³ respirable dust Dust on tear out. Provide adequate ventilation to minimize dust concentrations.
PT-265E (Mixture) No additional information available cristobalite (14464-46-1) USA - ACGIH - Occupational Exposure Limits ACGIH OEL TWA USA - OSHA - Occupational Exposure Limits OSHA PEL (TWA) [1] Cordierite (1302-88-1) No additional information available 8.2. Appropriate engineering controls Appropriate engineering controls 8.3. Individual protection measures/Persona Hand protection: Wear protective gloves. Respiratory protection: Dust on tear out. In case of inadequate ventilation, we set the set of the set	O.05 mg/m ³ respirable dust O.05 mg/m ³ respirable dust Oust on tear out. Provide adequate ventilation to minimize dust concentrations. Al protective equipment //ear respiratory protection.
PT-265E (Mixture) No additional information available cristobalite (14464-46-1) USA - ACGIH - Occupational Exposure Limits ACGIH OEL TWA USA - OSHA - Occupational Exposure Limits OSHA PEL (TWA) [1] Cordierite (1302-88-1) No additional information available 8.2. Appropriate engineering controls Appropriate engineering controls 8.3. Individual protection measures/Persona Hand protection: Wear protective gloves. Respiratory protection: Dust on tear out. In case of inadequate ventilation, w SECTION 9: Physical and chemical propertian	O.05 mg/m ³ respirable dust O.05 mg/m ³ respirable dust Dust on tear out. Provide adequate ventilation to minimize dust concentrations. Al protective equipment vear respiratory protection. perties
PT-265E (Mixture) No additional information available cristobalite (14464-46-1) USA - ACGIH - Occupational Exposure Limits ACGIH OEL TWA USA - OSHA - Occupational Exposure Limits OSHA PEL (TWA) [1] Cordierite (1302-88-1) No additional information available 8.2. Appropriate engineering controls Appropriate engineering controls 8.3. Individual protection measures/Persona Hand protection: Wear protective gloves. Respiratory protection: Dust on tear out. In case of inadequate ventilation, we set the set of the set	O.05 mg/m ³ respirable dust O.05 mg/m ³ respirable dust Dust on tear out. Provide adequate ventilation to minimize dust concentrations. Al protective equipment vear respiratory protection. perties
PT-265E (Mixture) No additional information available cristobalite (14464-46-1) USA - ACGIH - Occupational Exposure Limits ACGIH OEL TWA USA - OSHA - Occupational Exposure Limits OSHA PEL (TWA) [1] Cordierite (1302-88-1) No additional information available 8.2. Appropriate engineering controls Appropriate engineering controls 8.3. Individual protection measures/Persona Hand protection: Wear protective gloves. Respiratory protection: Dust on tear out. In case of inadequate ventilation, w SECTION 9: Physical and chemical propolation 9.1. Information on basic physical and chem Physical state Appearance	O.05 mg/m ³ respirable dust O.05 mg/m ³ respirable dust Oust on tear out. Provide adequate ventilation to minimize dust concentrations. Al protective equipment vear respiratory protection. perties hical properties
PT-265E (Mixture) No additional information available cristobalite (14464-46-1) USA - ACGIH - Occupational Exposure Limits ACGIH OEL TWA USA - OSHA - Occupational Exposure Limits OSHA PEL (TWA) [1] Cordierite (1302-88-1) No additional information available 8.2. Appropriate engineering controls Appropriate engineering controls 8.3. Individual protection measures/Persona Hand protection: Wear protective gloves. Respiratory protection: Dust on tear out. In case of inadequate ventilation, w SECTION 9: Physical and chemical propertion 9.1. Information on basic physical and chemical properation Physical state Appearance Color	O.05 mg/m³ respirable dust O.05 mg/m³ respirable dust Outline Outli
PT-265E (Mixture) No additional information available cristobalite (14464-46-1) USA - ACGIH - Occupational Exposure Limits ACGIH OEL TWA USA - OSHA - Occupational Exposure Limits OSHA PEL (TWA) [1] Cordierite (1302-88-1) No additional information available 8.2. Appropriate engineering controls Appropriate engineering controls 8.3. Individual protection measures/Persona Hand protection: Wear protective gloves. Respiratory protection: Dust on tear out. In case of inadequate ventilation, w SECTION 9: Physical and chemical prof 9.1. Information on basic physical and chem Physical state Appearance Color Odor	O.05 mg/m³ respirable dust O.05 mg/m³ respirable dust Dust on tear out. Provide adequate ventilation to minimize dust concentrations. Interpretement vear respiratory protection. perties ical properties Solid Shape. light brown None
PT-265E (Mixture) No additional information available cristobalite (14464-46-1) USA - ACGIH - Occupational Exposure Limits ACGIH OEL TWA USA - OSHA - Occupational Exposure Limits OSHA PEL (TWA) [1] Cordierite (1302-88-1) No additional information available 8.2. Appropriate engineering controls Appropriate engineering controls 8.3. Individual protection measures/Persona Hand protection: Wear protective gloves. Respiratory protection: Dust on tear out. In case of inadequate ventilation, w SECTION 9: Physical and chemical propertion 9.1. Information on basic physical and chemical properation Physical state Appearance Color	O.05 mg/m³ respirable dust O.05 mg/m³ respirable dust Outline Outli
PT-265E (Mixture) No additional information available cristobalite (14464-46-1) USA - ACGIH - Occupational Exposure Limits ACGIH OEL TWA USA - OSHA - Occupational Exposure Limits OSHA PEL (TWA) [1] Cordierite (1302-88-1) No additional information available 8.2. Appropriate engineering controls Appropriate engineering controls 8.3. Individual protection measures/Persona Hand protection: Wear protective gloves. Respiratory protection: Dust on tear out. In case of inadequate ventilation, w SECTION 9: Physical and chemical proportion Physical state Appearance Color Odor Odor threshold	O 0.05 mg/m³ respirable dust O 0.05 mg

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

Freezing point	: No data available
Boiling point	: No data available
Flash point	: No data available
Relative evaporation rate (butyl acetate=1)	: No data available
Flammability (solid, gas) Vapor pressure	: Not flammable. : No data available
Relative vapor density at 20°C	: No data available
Relative density	: ≈2
Solubility	: Insoluble in water.
Partition coefficient n-octanol/water (Log Pow) Auto-ignition temperature	: No data available : No data available
Decomposition temperature	: No data available
Viscosity, kinematic	: No data available
Viscosity, dynamic	: No data available
Explosion limits	: No data available : No data available
Explosive properties Oxidizing properties	: No data available
9.2. Other information	
No additional information available	
SECTION 10: Stability and reactivity	
10.1. Reactivity	
None known.	
10.2. Chemical stability	
Stable under normal conditions.	
10.3. Possibility of hazardous reactions	
No additional information available	
10.4. Conditions to avoid	
No additional information available	
10.5. Incompatible materials	
No additional information available	
10.6. Hazardous decomposition products	
No additional information available	
SECTION 11: Toxicological information	
11.1. Information on toxicological effects	
Acute toxicity (oral)	: Not classified
Acute toxicity (dermal)	: Not classified
Acute toxicity (inhalation)	: Not classified
Skin corrosion/irritation	: Not classified
cristobalite (14464-46-1)	
рН	6 – 7
Serious eye damage/irritation	: Not classified
cristobalite (14464-46-1)	
рН	6 – 7
Respiratory or skin sensitization	: Not classified
Germ cell mutagenicity	: Not classified
Carcinogenicity	: Not classified
Reproductive toxicity	: Not classified
STOT-single exposure	: Not classified
STOT-repeated exposure	: Not classified
Aspiration hazard Viscosity, kinematic	: Not classified : No data available
Cordierite (1302-88-1)	
Viscosity, kinematic	Not Applicable
Potential Adverse human health effects and	: Dust on tear out. Danger of serious damage to health by prolonged exposure through inhalation.
symptoms	
Symptoms/effects after inhalation	: Dust on tear out. Danger of serious damage to health by prolonged exposure through inhalation. May cause cancer by inhalation.

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

SECTION 12: Ecological information	
12.1. Toxicity	
No additional information available	
12.2. Persistence and degradability	
cristobalite (14464-46-1)	
Persistence and degradability	Mineral. Not applicable.
Chemical oxygen demand (COD)	Not applicable
ThOD	Not applicable
BOD (% of ThOD)	Not applicable
Cordierite (1302-88-1)	
Persistence and degradability	Not established.
12.3. Bioaccumulative potential	
cristobalite (14464-46-1)	
Bioaccumulative potential	No data available.
Cordierite (1302-88-1)	
Bioaccumulative potential	Not established.
12.4. Mobility in soil	
cristobalite (14464-46-1)	
Ecology - soil	No data available.
12.5. Other adverse effects	
No additional information available	
SECTION 13: Disposal considerations	
13.1. Disposal methods	Dispass in a sofe manner in accordance with local/actional regulations
Product/Packaging disposal recommendations : SECTION 14: Transport information	Dispose in a safe manner in accordance with local/national regulations.
In accordance with DOT / TDG / IMDG / IATA Department of Transportation (DOT) In accordance with DOT Not regulated Transportation of Dangerous Goods Not regulated Transport by sea Not regulated Air transport Not regulated	
SECTION 15: Regulatory information	
15.1. US Federal regulations	
(TSCA) inventory	s Active on the United States Environmental Protection Agency Toxic Substances Control Act
15.2. International regulations	
CANADA cristobalite (14464-46-1)	
Listed on the Canadian DSL (Domestic Substances List	t)
Cordierite (1302-88-1) Listed on the Canadian NDSL (Non-Domestic Substance EU-Regulations No additional information available National regulations No additional information available	ces List)

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

	la tha na					
15.3. US State regul	lations					
PT-265E (Mixture)						
U.S California - Propo information		product contains crystalline silica, a chemical known to the State of California to cause cancer. nore information go to WWW.P65Warnings.ca.gov				
cristobalite (14464-	46-1)					
U.S California - Proposition 65 - Carcinogens List	U.S California - Proposition 65 - Developmental Toxicity	U.S California - Proposition 65 - Reproductive Toxicity - Female	U.S California - Proposition 65 - Reproductive Toxicity - Male	No significant risk level (NSRL)	Maximum allowable dose level (MADL)	
Yes	No	No	No			
			State or local regulations U.S Massachusetts - Right To Know List; U.S New Jersey - Right to Know Hazardous			
	.)	Substance List; U.S Pennsylvania - RTK (Right to Know) List				
SECTION 16: Othe	er information					
	egister / Vol. 77, No. 58 / Monc		es and Regulations			
evision date		: 6/3/2024 : Report language name. English. In the event of any conflict between English and other languag				
Other information		 Report language name. versions, the English versions 		any conflict between	English and other langua	
Full text of H-phrases	i	-				
H315 Ca	uses skin irritation					

 H315
 Causes skin initiation

 H320
 Causes eye irritation

 H350
 May cause cancer

 Safety Data Sheet (SDS), USA
 This information and recommendations set forth herein are taken from sources believed to be accurate as of the date herein, however, Resco Products,

Inc. makes no warranty with respect to the accuracy of the information or the suitability of the recommendations, and assumes no liability to any user thereof.